

Safety Data Sheet

| Issue Date: 20-Apr-2012 | Revision Date: 01-May-2015 | Version 1 | | | | | |
|--|---|--------------------------------|--|--|--|--|--|
| | 1. IDENTIFICATION | | | | | | |
| <u>Product Identifier</u> Product Name | Coastal Fleet Heavy Duty Diesel Engine Oils | 6 | | | | | |
| Other means of identification SDS # | SAE 10, SAE 30, SAE 40, SAE 50, SAE 15W-40, Synthetic Blend SAE 15W-40 WUI-051 | | | | | | |
| Recommended use of the chemical and restrictions on useRecommended UsePremium heavy duty motor oil. | | | | | | | |
| Details of the supplier of the safety Supplier Address Warren Oil Company 915 E. Jefferson Ave. West Memphis, AR 72301 | <u>data sheet</u> | | | | | | |
| <u>Emergency Telephone Number</u> Company Phone Number Emergency Telephone (24 hr) | 1-800-428-9284 CHEMTREC 1-800-424-9300 (North America) | 1-703-527-3887 (International) | | | | | |
| | 2. HAZARDS IDENTIFICATION | | | | | | |
| Appearance Light amber, viscous lic | uid Physical State Viscous liquid | Odor Typical petroleum | | | | | |

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|--|------------|----------|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | 70-80 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact

Flush eyes with large amounts of water, for at least 15 minutes, until irritation subsides. If irritation persists, get medical attention.

| Skin Contact | No treatment is necessary under ordinary circumstances. Remove contaminated clothing. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should seek immediate medical attention. |
|-----------------------------|--|
| Inhalation | Remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Get medical attention. |
| Ingestion | If swallowed, do not induce vomiting. If victim exhibits signs of lung aspiration such as coughing or choking, seek immediate medical attention. |
| Most important symptoms a | and effects |
| Symptoms | Expected to be a minor eye irritant. Repeated or prolonged skin contact may cause dermatitis. |
| Indication of any immediate | medical attention and special treatment needed |
| Notes to Physician | Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use dry chemical, foam, carbon dioxide or water fog.

Unsuitable Extinguishing Media While carbon dioxide and inert will extinguish the fire, they can also displace oxygen. Use caution when applying carbon dioxide or inert gas in confined spaces.

Specific Hazards Arising from the Chemical

This material can burn but will not readily ignite. This material will release vapors when heated above the flashpoint temperature that can ignite when exposed to a source of ignition. In enclosed spaces, heated vapor can ignite with explosive force. Mists or sprays may burn at temperatures below the flashpoint. Dense smoke may be generated while burning. Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Aldehydes. Ketones. Combustion products of sulfur and nitrogen.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Avoid breathing smoke and vapor. Water may be used to cool containers exposed to heat or flame.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

| Methods for Containment | Remove sources of ignition. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. |
|-------------------------|--|
| Methods for Clean-Up | Take up small spills with absorbent pads. Large spills may be taken up with pump or vacuum. |

7. HANDLING AND STORAGE Precautions for safe handling Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Conditions for safe storage, including any incompatibilities **Storage Conditions** Store at ambient conditions. Store at atmospheric pressure. Keep container tightly closed. Store in a cool, well-ventilated place. Keep away from heat, sparks, and flame. Empty containers retain product residues. Store away from incompatible materials. **Incompatible Materials** This product may react with strong oxidizing agents. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies Appropriate engineering controls **Engineering Controls** Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces. If product is heated above 70 C (155 F) in the presence of water, hydrogen sulfide vapors may be released. Ventilation should be sufficient to keep hydrogen sulfide levels below recommended exposure limits. Eye wash fountains are recommended. Individual protection measures, such as personal protective equipment **Eye/Face Protection** Wear safety glasses. Wear chemical goggles or face shield if splash or mist occurs. **Skin and Body Protection** Use impervious gloves for prolonged contact. Wear oil-impervious garments if contact is unavoidable.

Respiratory Protection If mist is generated (heating, spraying) and engineering controls are not sufficient, wear approved organic vapor respirator suitable for oil mist.

General Hygiene Considerations Use good hygiene when handling petroleum product. Launder contaminated clothing before reuse. Excessive misting may cause slippery floors - wear appropriate footwear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical State Appearance Color | Viscous liquid Light amber, viscous liquid Light amber | Odor Odor Threshold | Typical petroleum Not available |
|---|--|------------------------|------------------------------------|
| <u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range | <u>Values</u> Not available Not available Not available | Remarks • Method | |
| Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure | 204 °C / 400 °F Not available Liquid-Not applicable Not determined Not determined Not available | ASTM D-92 | |

(Air=1)

| Vapor Density | >1 |
|------------------------------|--------------------|
| Specific Gravity | 0.88 |
| Water Solubility | Insoluble in water |
| Solubility in other solvents | Not determined |
| Partition Coefficient | Not available |
| Auto-ignition Temperature | No data available |
| Decomposition Temperature | Not determined |
| Kinematic Viscosity | Not determined |
| Dynamic Viscosity | Not determined |
| Explosive Properties | Not determined |
| Oxidizing Properties | Not determined |
| | |

Not determined Not determined Not determined Not determined Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Avoid formation of mists. Keep away from extreme heat, sparks, open flame and incompatible materials.

Incompatible Materials

This product may react with strong oxidizing agents.

Hazardous Decomposition Products

Decomposition of this product may yield oxides of boron, calcium, magnesium, nitrogen, phosphorus, sulfur including hydrogen sulfide and zinc as well as carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | |
|---------------------|--------------------------|
| Eye Contact | Avoid contact with eyes. |
| Skin Contact | Avoid contact with skin. |
| Inhalation | Do not inhale. |
| Ingestion | Do not ingest. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--------------------|-----------------------|-----------------|
| Petroleum derived calcium salt 61789-86-4 | > 5000 mg/kg (Rat) | > 4000 mg/kg (Rabbit) | - |

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|----------------------|--|-------------------------------|---|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | | 5000: 96 h Oncorhynchus mykiss mg/L LC50 | | 1000: 48 h Daphnia magna mg/L EC50 |
| Petroleum derived calcium salt 61789-86-4 | | 5.7 - 9.7: 96 h Pimephales promelas mg/L LC50 static 1.0 - 10.0: 96 h Pimephales promelas mg/L LC50 semi- static | | 6.2 - 12: 48 h Daphnia magna mg/L EC50 |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

<u>Mobility</u>

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

| Disposal of Wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
|------------------------|---|
| Contaminated Packaging | Disposal should be in accordance with applicable regional, national and local laws and regulations. |

14. TRANSPORT INFORMATION

| <u>Note</u> | Please see current shipping paper for most up to date shipping information, including |
|-------------|---|
| | exemptions and special circumstances. |
| | |

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

| Chemical Name | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|-------------------------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| Petroleum distillates, | Present | Х | | Present | | Present | Х | Present | Х | Х |
| hydrotreated heavy paraffinic | | | | | | | | | | 1 |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

| Acute Health Hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

<u>SARA 313</u>

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|-------------|----------|----------------------------------|
| Zinc alkyl dithiophosphate - 113706-15-3 | 113706-15-3 | <1 | 1.0 |

CWA (Clean Water Act)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Zinc alkyl dithiophosphate | | Х | | |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| | | | |

| Zinc alkyl dithioph 113706-15 | | X | | X |
|---|----------------|-----------------|----------------------------|---------------------------------------|
| | | 16. OTHER INFOR | MATION | |
| NFPA | Health Hazards | Flammability | Instability 0 | Special Hazards |
| HMIS_ | Health Hazards | Flammability | O Physical Hazards 0 | Personal Protection Not determined |
| Issue Date:20-Apr-2012Revision Date:01-May-2015Revision Note:New format | | | | |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet